HEWLETT-PACKARD COMPANY Legal Department, IPA Section, ms: 35 P O BOX 272400 3404 East Harmony Road Fort Collins, CO 80528-9599

PATENT APPLICATION

Attorney Docket No: 10004251-4

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventors:

Timothy D. Strecker

Examiner: Frederick C. Nicolas

Application No:

10/717,139

Group Art Unit:

3754

Filing Date:

November 18, 2003

Confirmation No:

7277

Title: MIXING ROTARY POSITIVE DISPLACEMENT PUMP FOR MICRO

DISPENSING

COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, VA 22313-1450

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY

Dear Sir:

Please amend the above captioned application in accordance with the Notice of Drawing Inconsistency with the Specification.

Introductory comments begin on page 2.

Amendments to the Specification begin on page 3 of this paper.

Remarks begin on page 4 of this paper.

HEWLETT-PACKARD COMPANY Legal Department, IPA Section, ms: 35 P O BOX 272400 3404 East Harmony Road Fort Collins, CO 80528-9599

Attorney Docket No: 10004251-4

INTRODUCTORY COMMENTS

The drawings filed 11-18-2003 were found have an inconsistency between the drawings and the Brief Description of the Drawings in the specification. In particular Figure 6c is contained in the Drawings but is not listed in the Brief Description of the Drawings in the specification.

PATENT APPLICATION

ATTORNEY DOCKET NO. 10004251 -4

IN THE

UNITED STATES PATENT AND TRADEMARK OFFICE

ntor(s):

Timothy D. Strecker

Confirmation No.: 7277

Application No.: 10/717139

Examiner: Frederick Nicolas

Filing Date:

Nov 18, 2003

Group Art Unit:

3754

Title:

Mixing Rotary Positive Displacement Pump For Micro Dispensing

Mail Stop Amendment **Commissioner for Patents** PO Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL LETTER FOR RESPONSE/AMENDMENT

Sir:	<u> </u>							
Tran	smitted herewith is/are the following in the above	e-identified app	olication:					
()	Response/Amendment	()	Petition to extend time to respond					
()	New fee as calculated below	()	Supplemental Declaration					
(X)	No additional fee							
(X)	Other: Response to Notice of dwg inconsistence	Response to Notice of dwg inconsistency with spec						
(^)	CLAIMS AS AMENDED BY OTHER THAN A SMALL ENTITY							

			Y	ENTIT	SMALL	HER THAN A	NDED BY OT	MS AS AME	CLAIN			
(7) DITIONAL FEES	AD	(6) RATE		ENT	(5 PRESI EXT	(4) HIGHEST NUMBER PREVIOUSLY PAID FOR		(3) NUMBER EXTRA	(2) AIMS REMAINING TER AMENDMENT		(1) FOR	
0	\$	\$50	x	0	=			MINUS			TOTAL CLAIMS	
0	\$	\$200	х	0	=			MINUS			INDEP. CLAIMS	
0	\$	\$360	[] FIRST PRESENTATION OF A MULTIPLE DEPENDENT CLAIM + \$360								[] FII	
0	\$	TH MONTH 1590.00				3RD MON \$1020.0	MONTH 50.00		1ST MONTH \$120.00		EXTENSION FEE	
	\$	EES	OTHER FEES									
0	\$	1ENT	TOTAL ADDITIONAL FEE FOR THIS AMENDMENT									

to Deposit Account 08-2025. At any time during the pendency of this 0 application, please charge any fees required or credit any overpayment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16 through 1.21 inclusive, and any other sections in Title 37 of the Code of Federal Regulations that may regulate fees. A duplicate copy of this sheet is enclosed.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450.

Date of Deposit: 6/3/05

Typed Name: Donald J. Coulman

Signature:_

Respectfully submitted,

Timothy D. Strecker

Donald J. Coulman

Attorney/Agent for Applicant(s)

Reg. No.

50,406

Telephone No.: (541) 715-1694

Rev 12/04 (TransAmd)

- Attach as First Page to Transmitted Papers -